

C. 1172
1-0
517

LIST



OF

BRITISH CURCULIONIDÆ,

WITH

SYNONYMA.

BY

JOHN WALTON, F.L.S., &c.

LONDON:

PRINTED BY ORDER OF THE TRUSTEES.

1856.

LIST

OF

BRITISH CURCULIONIDÆ,

WITH

SYNONYMA.

BY

JOHN WALTON, F.L.S., &c.

LONDON:

PRINTED BY ORDER OF THE TRUSTEES.

1856.

LONDON:
PRINTED BY EDWARD NEWMAN,
9, DEVONSHIRE STREET, BISHOPSGATE.

P R E F A C E .

THE object of the present Catalogue has been to give a complete list of all the genera and species of *Curculionidæ*, known to inhabit the British Islands.

The letters B. M. on the margin denote the species now contained in the British Museum, and the absence of these letters indicate the species which are desiderata, and therefore desirable to be procured for the collection.

JOHN EDWARD GRAY.

British Museum,
Sept. 10th, 1856.

CATALOGUE

OF

BRITISH RHYNCHOPHORA.

Fam. 1. BRUCHIDÆ, *Leach.*

1. BRUCHUS, *Linnaeus.*

1. B. PISI, *Linn.*; *Oliv. E.* iv. 79, pl. 1, f. 6; *Germ.*; *Steph. sec. ej. descr. (peregr. ?)*; *Schönh.*
2. B. RUFIMANUS, *Schönh.*; *Steph. Manual.* B. M.
... Pisi, *Panz. F.* 66, f. 14.—*Samou.* pl. 2, f. 17.
... granarius, *Marsh.*; *Steph.*; non *Linn.*
... Pisi, *Steph. sec. ej. Mus.*
3. B. FLAVIMANUS (*Megerle*), *Schönh.*; *Walt.*
4. B. LOTI, *Payk.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
... Lathyri (*Kirb.*), *Steph.*
5. B. SEMINARIUS, *Linn.*; *Marsh. ? Steph.* B. M.
... granarius, *Payk.*; *Oliv. E.* iv. 79, pl. 1, f. 10; *Gyll.*; *Germ.*; *Schönh.*; nec *Linn.*
... affinis, *Steph.*
6. B. LUTEICORNIS, ♂, *Illiger*; *Panz. F.* 25, f. 23. B. M.
... seminarius, *Marsh.*

7. *B. PECTINICORNIS*, ♂, *Linn. Mus.*; *Fab.*
 ... *Theobromatis*, ♀, *Linn.*?
 ... *scutellaris*, *Schönh.* ♂, ♀.
 ... *scutellaris*, ♀, *Fab.*; *Steph. Manual.* (*peregr.*?)
 ... *analis*, *Fab. Mus. Banks.*
 ... *rufus*, *DeGeer, Ins.* v. 281, pl. 16, f. 7, ♀.
8. *B. VILLOSUS*, *Fab.* (1792), *sec. ej. Mus.*
 ... *Cisti*, *Payk.* (1792); *Pz. F.* 66, f. 12; *Gyll.*; *Steph.*; *Schönh.*; *Curt.*; *non Fab.*
 ... *ater*, *Marsh.*; *Steph. Syst. Cat.*; *Kirb. Mus.*
9. *B. CISTI*, *Fab.* (1781), *sec. Mus. Banks.* B. M.
 ... *ater*, *Curt. Ent.* ii. pl. 754; *nec. Marsh.*
 ... *canus, tibiellus, et debilis*, *Steph. Manual.*
2. *BRACHYTARSUS*, *Schönherr.*
1. *B. SCABROSUS*, *Fab.*; *Pz. F.* 15, f. 15; *Marsh.*; *Steph.*; *Gyll.*; *Schönh.* B. M.
2. *B. VARIUS*, *Fab.*; *Pz. F.* 15, f. 16; *Gyll.*; *Steph.*; *Schönh.* B. M.
3. *TROPIDERES*, *Schönherr.*
1. *T. ALBIROSTRIS*, *Herbst, C.* vii. 162, pl. 106, f. 4, a; *Gyll.*; *Steph.*; *Schönh.* B. M.
2. *T. NIVEIROSTRIS*, *Fab.*; *Oliv. E.* iv. 80, pl. 1, f. 8; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *brevirostris*, *Marsh.*
4. *PLATYRHINUS*, *Clairville.*
1. *P. LATIROSTRIS*, *Fab.*; *Marsh.*; *Curt. Ent.* ii. pl. 723; *Gyll.*; *Steph.*; *Schönh.* B. M.
5. *ANTHRIBUS*, *Fabricius.*
1. *A. ALBINUS*, *Linn.*; *Marsh.*; *Gyll.*; *Curt. Ent.* ii. pl. 726, ♂; *Steph.*; *Schönh.* B. M.

6. CHORAGUS, Kirby.

Alticopus, *Villa*; *Schönh.*

1. C. SHEPPARDI, Kirby, in *Trans. Linn.* xii. pl. 22, f. 14;
Steph. B. M.
 ... niger, Kirby; *Steph.*
 Alticopus Galeazzii, *Villa*.; *Schönh.*
 Anthribus pygmæus (Robert), *Guerin.*

7. RHINOMACER, Fabricius.

1. R. ATTELABOIDES, *Fabr.*; *Steph. Mand.* iv. 207, pl. 21.
 f. 3; *Schönh.* B. M.
 Rhynchites Rhinomacer, *Gyll.*

Fam. 2. ATTELABIDÆ, Westwood.

8. APODERUS, Olivier.

1. A. CORYLI, *Linn.*; *Clairv. E. H.* i. pl. 15, f. 1, 2;
Gyll.; *Schönh.* B. M.
 ... Avellanæ, var., *Linn.*; *Marsh.*; *Steph.*

9. ATTELABUS, Linnæus.

1. A. CURCULIONOIDES, *Linn.*; *Marsh.*; *Gyll.*; *Steph.*;
Curt. Ent. ii. pl. 710; *Schönh.* B. M.

10. RHYNCHITES, Herbst.

1. R. BETULÆ, *Linn.*; *Herbst. C.* vii. 133, pl. 104, f. 9, C;
Marsh.; *Gyll.*; *Schönh.* B. M.
 Deporaüs Betulæ (*Leach*); *Steph.*
2. R. MEGACEPHALUS, *Germ.* (1824).
 ... Mannerheimi, *Hummel.*
 ... lævicollis et cyaneopennis, *Steph.* (1831).
 ... constrictus (*Waltl.*), *Schönh.* (1839).

3. *R. PUBESCENS*, *Fab.*; *Herbst. C.* vii. 139, pl. 105, f. 3;
Germ.; *Marsh.*; *Steph.*; *Schönh.* B. M.
 ... *cavifrons*, ♂ (*Chevr.*), *Schönh.*; *Steph. Manual.*
4. *R. OPHTHALMICUS*, *Steph. Mand.* (1831). B. M.
 ... *comatus*, ♂, et *cyanicolor*, ♀, *Schönh.* (1833).
 ... *similis*, ♂, *Curtis, Ent.* ii. pl. 642.
 ... *sericeus*, *Steph. Manual*; *nec Herbst.*
 ... *tomentosus*, *Schönh.*
5. *R. NANUS*, *Payk.* (1792); *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *minutus*, *Herbst, C.* vii. 135, pl. 104, f. 11, e.
 ... *cæruleus* (1798), et *planirostris*, *Fab.* (1801).
 ... *cylindricus*, ♀ (*Kirb.*), *Steph.*
6. *R. CONICUS*, *Illiger* (1801—1807); *Germ.*; *Schönh.* B. M.
 ... *confinis*, *Steph. Mand.*
 ... *Alliariæ*, *Oliv. E.* v. 81, pl. 2, f. 35; *Marsh.*; *Steph.*
7. *R. PAUXILLUS*, *Germ.* (1824); *Schönh.*; *Steph. Manual.* B. M.
 ... *atrocæruleus*, *Steph. Mand.*
8. *R. ALLIARIÆ*, *Payk.* (1792); *Gyll.* (1813). B. M.
 ... *interpunctatus* (*Wilkin*); *Steph.* (1831).
 ... *longirostris*, *Steph. Mand.*
 ... *megacephalus*, *Schönh.*
9. *R. GERMANICUS*, *Herbst, C.* vii. 135, pl. 104, f. 11. B. M.
 ... *nanus*, *Marsh.* (1802).
 ... *minutus*, *Gyll.* (1813); *Steph.*; *Schönh.*
 ... *rugipennis*, *Steph. Mand.*
 ... *æneovirens*, *Kirb. Mus.*
10. *R. EQUATUS*, *Linn.*; *Don.* iv. pl. 121, f. 1, 2; *Marsh.*;
Gyll.; *Steph.*; *Schönh.* B. M.
11. *R. CÆRULEOCEPHALUS*, *Schaller* (1783); *Pz. F.* 94, f.
 6; *Fab.*; *Steph.*; *Schönh.* B. M.
12. *R. ÆNEOVIRENS*, *Marsh.* (1802); *Steph.* B. M.
 ... *Fragarie*, *var.* (*Sturm.* 1826), *Schönh.*
 ... *obscurus* (*Megerle*), *Schönh.*

13. *R. CUPREUS*, *Linn.*; *Panz. F.* 20, f. 9; *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
14. *R. BETULETI*, *Fab.* (1792); *Don.* iii. pl. 74; *Herbst*; *Gyll.*; *Germ.*; *Schönh.*
 ... *Betulæ*, *Linn.*; *Marsh.*; *Steph.*
 ... *nitens*, *Marsh.*
15. *R. POPULI*, *Linn.*; *Pz. F.* 20, f. 7; *Marsh.*; *Gyll.*; *Steph.*; *Germ.*; *Schönh.* B. M.
16. *R. AURATUS*, *Scop. Ent. Carn.* (1763); *Schönh.* B. M.
 ... *Bacchus*, *Marsh.*; *Gyll.*; *Steph.*; *Don.* 1, pl. 34, f. 1, ♂.
17. *R. BACCHUS*, *Linn.*; *Sulz. Gesch. d. Ins.* 38, pl. 4, f. 4; *Schönh.* B. M.
11. *APION*, *Herbst.*
1. *A. CRACCÆ*, *Linn.*; *Herbst, C.* vii. pl. 102, f. 2, B; *Marsh.*; *Kirb.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *ruficornis*, ♂, *Herbst, C.* vii. 110, pl. 102, f. 8, b; *Kirb.*; *Germ.*; *Steph.*
2. *A. POMONÆ*, *Fab.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *cærulescens*, *Marsh.*; *Kirb. in Tr. Linn.* ix. pl. 1, f. 4.
 ... *glaber*, var. β , *Marsh.*
3. *A. SUBULATUM*, *Kirb. in Tr. Linn.* ix. 28, pl. 1, f. 5; *Germ.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *Marshani*, *Steph.*, ♀; *Schönh.*, ♂.
 ... *platalea*, ♂, *Curtis.*
4. *A. LIMONII*, *Kirb. in Tr. Linn.* ix. pl. 1, f. 20; *Germ.*; *Steph.*; *Schönh.* B. M.
5. *APION MARCHICUM*, *Herbst, C.* vii. 118, pl. 103, f. 7; *Germ.*; *Gyll.*; *Schönh.* B. M.
 ... *Spartii*, *Kirb.*; *Germ.*; *Steph.*; *Schönh.*
 ... *Rumicis*, var., *Kirb.*; *Germ.*; *Steph.*
 ... *violaceum*, *Gyll.*
 ... *aterrimus*, ♀, *Linn. sec. ej. Mus.*

6. A. AFFINE, *Kirb.*; *Germ.*; *Steph.*; *Schönh.* B. M.
7. A. HUMILE, *Germ. M.* ii. 232, pl. 3, f. 1 (1817); *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... brevirostre, *Kirb.*; *Gyll.*; *nec Herbst.*
 ... curtirostre, *Germ.*; *Steph.*
 ... Sedi, var., *Gyll.*; *nec Germ.*
 ... plebeium, *Steph.*
- *8. A. SEDI, *Germ.*; *Schönh.* B. M.
9. A. MINIMUM, *Herbst, C.* vii. 115, pl. 103, f. 3, g; *Gyll.*; *Germ.*; *Schönh.*; *Steph. Manual.* B. M.
 ... velox, *Kirb.*; *Germ.*; *Steph. Mand.*
 ... aterrimus, ♂, *Kirb. sec. ej. Mus.*; *non Linn.*
 ... foraminosum, *Schönh.*
10. A. SIMILE, *Kirb.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... superciliosum, *Gyll.*; *Schönh.*
 ... triste, *Germ.*
11. A. TENUE, *Kirb.*; *Germ.*; *Steph.*; *Schönh.* B. M.
12. A. SENICULUS, *Kirb.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... tenuis, *Gyll.*; *Germ.*
 ... pusillum, ♀, *Steph. sec. ej. Mus.*
 ... pubescens, ♂, ♀, *Schönh.*
13. A. PUBESCENS, *Kirb.*; *Steph.* B. M.
 ... civicum, *Germ.*
 ... Salicis (*Chevr.*), *Schönh.*
14. A. CURTISII (*Kirb.*), *Curtis, Ann. Nat. Hist.* v. 281. B. M.
15. A. VIOLACEUM, *Kirb. in Tr. Linn.* ix. 65, pl. 1, f. 16; *Gyll.*; *Steph.*; *Schönh.* B. M.
16. A. HYDROLAPATHI, *Marsh.*; *Kirb. in Tr. Linn.* ix. pl. 1, f. 17; *Steph.*; *Schönh.* B. M.
 ... ektuleopenne, *Steph. Mand.*
17. A. MALVE, *Fab.*; *Kirb. in Tr. Linn.* ix. 20, pl. 1, f. 2; *Marsh.*; *Germ.*; *Steph.*; *Schönh.* B. M.

18. *A. FRUMENTARIUM*, *Linn.*; *Payk.* (1792); *Pz. F.* 20, f. 14; *Gyll.*; *Schönh.* B. M.
 ... *hæmatodes*, *Kirb.*; *Germ. M.* ii. pl. 4, f. 25; *Steph.*
19. *A. RUBENS* (*Ingall*), *Steph. Manual.* B. M.
20. *A. SANGUINEUM*, *DeGeer*; *Gyll.*; *Schönh.* B. M.
21. *A. CRUENTATUM*, *Walt.* B. M.
 ... *sanguineum*, *Steph. sec. ej. Mus.*
22. *A. MINIATUM*, *Schönh.* B. M.
 ... *frumentarium*, *Herbst, C.* vii. 107, pl. 102, f. 6; *Marsh.*; *Kirb.*; *Germ.*; *Steph.*
23. *A. VERNALE*, *Fab.*; *Herbst*; *Kirb.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *Lythri*, *Panz. F.* 17, f. 8.
 ... *concinuus*, *Marsh.*
24. *A. ONOPORDI*, *Kirb.*; *Germ. M.* ii. pl. 2, f. 14; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *rugicolle*, *var.*, *Steph.*
 ... *penetrans*, *Steph.*
25. *A. RADIOLUS*, *Marsh.*; *Kirb.*; *Germ. M.* ii. pl. 2, f. 13; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *aterrimus*, *Marsh.*; *Gyll.*; *nec Linn.*
 ... *oxurum*, *var.*, *Kirb.*; *Germ.*
 ... *nigrescens*, ♀, *Steph. Mand.*
 ... *validum*, *Germ.*; *Schönh.*
26. *A. CONFLUENS*, *Kirb. in Tr. Linn.* ix. 62, pl. 1, f. 15; *Steph.* B. M.
 ... *stolidum*, *Gyll.*; *Schönh.*
27. *A. STOLIDUM*, *Germ. M.* ii. 218, pl. 2, f. 5; *Steph. Man.* B. M.
 ... *confluens*, *Gyll.*; *Schönh.*
28. *A. LEVIGATUM*, *Kirby.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *brunnipes*, *Schönh.*

29. *A. ÆNEUM*, *Fab.*; *Herbst, C.* vii. pl. 102, f. 1, A; *Marsh.*; *Kirb.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *chalceus*, var. β , *Marsh.*
30. *A. CARDUORUM*, *Kirb. in Tr. Linn.* ix. 72, pl. 1, f. 19 (1808); *Germ.*; *Steph.* B. M.
 ... *Sorbi*, *Marsh.*
 ... *gibbirostre*, *Gyll.* (1813); *Schönh.*
 ... *tumidum*, var., *Steph. Mand.*
31. *A. RUFIROSTRE*, *Fab.*; *Herbst, C.* vii. pl. 102, f. 10, ♂; *Marsh.*; *Kirb.*; *Germ.*; *Gyll.*; *Schönh.*; *Steph.* B. M.
 ... *malvarum*, ♀, *Kirb.*; *Germ.*
 ... *Trifolii*, *Marsh.*; *nec Linn.*
32. *A. PALLIPES*, *Kirb. in Tr. Linn.* ix. 38, pl. 1, f. 7; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *geniculatum*, *Germ.*
33. *APION GERMARI*, *Walt.* B. M.
34. *A. ATOMARIUM*, *Kirb. in Tr. Linn.* ix. 59, pl. 1, f. 14; *Gyll.*; *Germ.*; *Steph. Manual*; *Schönh.* B. M.
 ... *pusillum*, *Germ. M.* ii. 209, pl. 2, f. 4.
35. *A. FLAVIMANUM*, *Schönh.* (1833). B. M.
 ... *picicorne* (*Waterh.*), *Steph. Manual* (1839).
36. *A. VICINUM*, *Kirb. in Tr. Linn.* ix. 25, pl. 1, f. 3; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *Loti*, *Gyll.*; *Germ.*
 ... *incrassatum*, *Germ.*
37. *A. HOOKERI*, *Kirb. in Tr. Linn.* ix. 69, pl. 1, f. 18; *Germ.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
38. *A. STRIATUM*, *Marsh.*; *Kirb. in Tr. Linn.* ix. pl. 1, f. 10; *Steph. Manual.* B. M.
 ... *Pisi*, *Germ.*; *Steph. Mand.*
 ... *atratum*, *Germ. M.* ii. 192, pl. 3, f. 16; *Steph.*; *Schönh.*
39. *A. IMMUNE*, *Kirb.*; *Germ.*; *Steph. Mand.*; *Schönh.* B. M.
 ... *Betulæ* (*Cherr.*), *Schönh.*

40. *A. SORBI*, *Herbst, C.* vii. 111, pl. 102, f. 9; *Kirb.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *viridescens*, *Marsh.*
 ... *aterrimus*, ♂, *Gyll.*; *nec Linn.*
 ... *carbonarium*, ♂, *Germ.*; *Steph. Mand.*
41. *A. ERVI*, *Kirb.*, ♀; *Germ. M.* ii. pl. 3, f. 13; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *Lathyri*, ♂, *Kirb.*; *Steph. Mand.*
42. *A. PUNCTIGERUM*, *Germ.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *sulcifrons*, *Kirb.*; *Steph.*; *nec Herbst.*
 ... *punctiger*, *Payk.*; *Gyll.*
43. *A. SPENCII*, *Kirb. in Tr. Linn.* ix. 57, pl. 1, f. 13, ♀; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *foveolatum*, var. β, γ, *Kirb.*; *Steph.*
 ... *intrusum*, *Gyll.*; *Steph.*
 ... *columbinum*, *Steph.*; *nec. Germ.*
44. *A. VIRENS*, *Herbst, C.* vii. 118, pl. 103, f. 6; *Kirb.* ♀; *Germ.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *marchicum*, *Kirb.* ♂; *Germ.*; *Steph.*
 ... *æneocephalum*, *Gyll.*
45. *A. ASTRAGALI*, *Payk.*; *Kirb. in Tr. Linn.* ix. pl. 1, f. 12; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
46. *A. LOTI*, *Kirb.*, ♂; *Germ.*; *Steph.* B. M.
 ... *angustatum*, *Kirb.*, ♀; *Gyll.*; *Schönh.*
 ... *modestum*, *Germ. Mag.* ii. 234, pl. 4, f. 6.
 ... *glabratum*, var. (*Spence*); *Germ.*; *Steph.*
 ... *civicum*, *Steph. sec. ej. Mus.*
47. *A. AFER*, *Schönh.* (1833). B. M.
 ... *validirostre*, *Schönh.*
 ... *puncticoile* (*Waterh.*), *Steph. Manual* (1839).
48. *A. PAVIDUM*, ♂, *Germ. M.* ii. 203, pl. 4, f. 4; *Steph. sec. ej. descr.* B. M.
 ... *Ononis*, *Germ.*
 ... *eivascens*, *Germ.*
 ... *plumbeum*, *Schönh.*

49. *A. WALTONI*, *Steph. Manual*; *Curtis, in litt. et Schönh. in litt.*
... *Curtisii*, *Schönh.*
50. *A. SCUTELLARE*, *Kirb.*; *Germ.*; *Schönh.* B. M.
... *Kirbii* (*Leach*), *Germ.*; *Steph. Manual.*
51. *A. OBSCURUM*, *Marsh.*; *Kirb.*; *Steph.*; *Schönh.*
52. *A. FLAVIPES*, *Fab.* (1781); *Herbst, C.* vii. 106, pl. 102, f. 5; *Kirb.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
53. *A. NIGRITARSE*, *Kirb. in Tr. Linn.* ix. 36, pl. 1, f. 6, ♀; *Germ.*; *Steph.*; *Schönh.* B. M.
... *Waterhousei*, *Schönh.*
54. *A. ASSIMILE*, *Kirb.*; *Germ.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
... *flavipes*, var. ♂, *Gyll.*
55. *A. APRICANS*, *Herbst, C.* vii. 117, pl. 103, f. 5; *Germ.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
... *Fagi*, sec. *Mus. Linn. et Mus. Kirb.*
... *flavifemoratum*, *Kirb.*
56. *A. TRIFOLIUM*, *Linn. sec. ej. Mus.*; *Syst. Nat.* iii. *App.* 224. B. M.
... *æstivum*, *Germ.*; *Gyll.*; *Steph.*; *Schönh.*
... *ruficrus*, ♂, *Germ. M.* ii. 171, pl. 4, f. 17; *Schönh.*
... *flavifemoratum*, *Kirb.*, var. β.
... *Leachii*, *Steph. Mand.*
57. *A. SCHÖNHERRI* (*Waterh.*), *Schönh.*; *Walt.*
58. *A. VARIPES*, *Germ. M.* ii. 173, pl. 4, f. 19; *Gyll.*; *Steph.*; *Schönh.* B. M.
... *flavifemoratum*, var. γ, *Kirb.*
... *flavipes*, var. c, *Gyll.*
59. *A. LÆVICOLLE*, *Kirb.*; *Germ.*; *Steph.*; *Schönh.* B. M.
60. *A. DIFFORME*, *Germ.*; *Curt. Ent.* ii. pl. 211; *Steph.*; *Schönh.* B. M.
... *compressicorne*, *Dej. Cat.*

61. A. DISSIMILE, *Germ. M.* ii. 171, pl. 4, f. 18, a—d; *Schönh.*;
Walt.
62. A. FILIROSTRE, *Kirb.*; *Steph.* B. M.
... morio, *Germ.*; *Schönh.*
63. A. EBENINUM, *Kirb. in Tr. Linn.* ix. 55, pl. 1, f. 11;
Gyll.; *Germ.*; *Steph.*; *Schönh.* B. M.
... Kunzei, *Schönh.*
64. A. VICIE, *Payk.*; *Kirb.*; *Gyll.*; *Germ. M.* ii. pl. 4, f.
15; *Steph.*; *Schönh.* B. M.
... Griesbachii, *Steph. Mand.*
65. A. ONONIS, *Kirb.*; *Germ. M.* ii. pl. 3, f. 24; *Steph.* B. M.
... mecops, *Schönh.*
66. A. VORAX, *Herbst, C.* vii. 119, pl. 103, f. 8; *Kirb.*;
Gyll.; *Germ.*; *Steph.*; *Schönh.* B. M.
... villosulus, ♀, et fuscicornis, ♂, *Marsh.*
... pavidum, *Steph. Mus.*
67. A. PISI, *Megerle*; *Fab.*; *Germ.*; *Schönh.*; *Steph.*
Manual. B. M.
... punctifrons, *Kirb. in Tr. Linn.* ix. 50, pl. 1, f. 9; *Germ.*;
Steph. Mand.
... æratum, *Steph. Mand.*
68. A. ÆTHIOPS, *Herbst, C.* vii. pl. 103, f. 9; *Germ.*; *Gyll.*;
Schönh. B. M.
... subsulcatum, *Marsh.*; *Kirb.*; *Germ.*; *Steph.*
... Marchicum, *Gyll.*
... subcæruleum, *Steph. Mand.*
69. A. LIVESCERUM, ♂, *Schönh.*; *Walt.*
... translaticium, ♀, *Schönh.*
... Hedysari, *Walt. in litt.*
70. A. GYLLENHALI, *Kirb.*, ♀; *Gyll.*; *Germ.*; *Steph.*;
Schönh. B. M.
... unicolor, *Kirb.*, ♂; *Germ.*; *Steph.*; *Schönh.*
... Aethiops, *Gyll.*
71. A. MELILOTI, *Kirb.*; *Germ.*; *Steph.*; *Schönh.* B. M.
... bifoveolatum, *Steph.*

12. OXYSTOMA, *Duméril; Stephens.*

1. O. FUSCIROSTRIS, *Fab.; Steph.; Germ.; Schönh.* B. M.
 ... melanopum, *Marsh.; Kirb.*
2. O. ULICIS, *Foster; Marsh.; Kirb. in Tr. Linn. ix. 18,*
 pl. 1, f. 1; *Germ.; Steph.; Schönh.* B. M.
3. O. GENISTÆ, *Kirby.; Germ.; Steph.; Schönh.* B. M.
 ... Astragali, *Herbst, C. vi. 78, pl. 66, f. 2.*

13. RAMPHUS, *Clairville.*

1. R. FLAVICORNIS, *Clairv. E. H. i. 104, pl. 12, f. 1—4;*
Schönh. B. M.
 ... pulicarius, *Herbst. C. vi. 429, pl. 93, f. 12; Gyll.; Steph.*
 ... Oxyacanthæ, *Marsh.*

Fam. 3. CURCULIONIDÆ, *Leach.*14. CNEORHINUS, *Schönherr.*

Philopedon, *Steph.*

1. C. GEMINATUS, *Fab.; Herbst, C. vi. 348, pl. 87, f. 7;*
Gyll.; Steph.; Schönh. B. M.
 ... parapleurus, *Marsh.; Steph. Mand.*
 ... maritimus, *Marsh.*
 ... scrobiculatus, *Marsh.; Steph.*
 ... albicans, *Schönh.*
2. C. EXARATUS, *Marsh.; Don. xii. pl. 414, f. 2; Steph.;*
Schönh. B. M.
 ... plumbeus et sexstriatus, *Marsh.*

15. STROPHOSOMUS, *Billberg.*

1. S. CORYLI, *Fab.; Mart. C. pl. 19, f. 20; Marsh.; Gyll.,*
var. C; Steph. B. M.
 ... illibatus, *Schönh.*

2. *S. OBESUS*, *Marsh.*; *Kirb. Mus.*, var. δ . B. M.
 ... *Coryli*, *Payk.*; *Gyll.*; *Schönh.*
 ... *subrotundus et atomarius*, *Marsh.*; *Steph.*
 ... *Asperifoliarum*, *Steph. Mand. non Kirb. MSS.*
 ... *rufipes et nebulosus*, *Steph. Manual.*
 ... *cognatus*, *Steph. Mand.*
3. *S. FULVICORNIS* (*Curt.*), *Walt.*
4. *S. RETUSUS*, *Marsh.*; *Steph. Mand.* B. M.
 ... *squamulatus*, *Steph. Manual.*
 ... *alternans et oxyops* (*Chevr.*), *Schönh.*
 ... *obesus*, *Kirb. Mus.*, α , β , γ .
5. *S. HIRTUS*, *Schönh. Syn. Ins. viii. 399 (Mant. Curc.)*
6. *S. FABER*, *Herbst*; *Germ.*; *Schönh.* B. M.
 ... *pilosus*, *Herbst, C. vi. pl. 77, f. 6.*
 ... *limbatus*, *Marsh.*
 ... *pilosellus*, *Gyll.*; *Steph.*
 ... *chætophorus et septentrionis*, *Steph.*
7. *S. LIMBATUS*, *Fab.*; *Payk.*; *Gyll.*; *Germ.*; *Schönh.*; B. M.
Steph. Manual.
 ... *Sus* (*Kirb.*), *Steph. Mand.*
16. *SCIAPHILUS*, *Schönherr.*
1. *S. MURICATUS*, *Fab.*; *Herbst, C. vi. pl. 87, f. 9*; *Gyll.*; B. M.
Steph.; *Schönh.*
 ... *setosus*, *Marsh.*; *Steph. Syst. Cat.*
 ... *asperatus*, *Fab.*; *Steph. Mand.*
 ... *pusillus*, *Steph. Mand.*
17. *TANYMECUS*, *Germar.*
1. *T. PALLIATUS*, *Fab.*; *Panz. F. 19, f. 5*; *Gyll.*; *Steph.*; B. M.
Schönh.
 ... *diffinis*, *Marsh.*

18. SITONES, *Germar*; *Schönherr*.Sitona, *Germar*.

1. S. HISPIDULUS, *Fab.*; *Marsh.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... crinitus, *Herbst*, *C.* vi. pl. 77, f. 13.
 ... pallipes, *Steph. Mand.*
2. S. SUTURALIS, *Steph.* B. M.
 ... rufipes, *Marsh.*
3. S. REGENSTEINENSIS, *Herbst*, *C.* vii. 46, pl. 98, f. 3; *Germ.*; *Schönh.*; *Steph. Manual.* B. M.
 ... Spartii (*Kirb.*), *Steph. Mand.*
 ... Ulicis (*nec Kirb. MSS.*), et femoralis, *Steph. Mand.*
4. S. SULCIFRONS, *Thunb.*; *Germ.*; *Schönh.*; *Steph. Man.* B. M.
 ... campestris, *Oliv. E.* v. 380, pl. 25, f. 366.
 ... tibialis, *Gyll.*; *Steph. Mand.*
 ... chloropus, *Marsh.*
 ... subauratus (*Kirb.*), et pleuriticus (*Kirb.*), *Steph. Mand.*
5. S. LINEATUS, *Linn. Mus.*; *Don.* xi. pl. 389, f. 2; *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... ruficlavis et griseus, *Marsh.*; *Steph. Mand.*
6. S. PUNCTICOLLIS (*Kirb.*), *Steph. Mand.* (1831). B. M.
 ... insulsus, *Schönh.* (1834).
 ... octopunctatus, *Germ.*
7. S. FLAVESCENS, *Marsh.* (1802); *Steph. Mand.* B. M.
 ... octopunctatus, *Schönh.* (1834).
 ... nigriclavis et longiclavis, *Marsh.*; *Steph. Mand.*
 ... caninus, *Gyll.*; *Steph. Mand.*
8. S. HUMERALIS (*Kirb.*), *Steph.* (1831). B. M.
 ... Pisi, *Steph. Mand.*
 ... promptus, *Schönh.* (1834).
9. S. MELILOTI, *Walt.*

10. *S. TIBIALIS*, *Herbst, C. vi. 217, pl. 75, f. 5; Germ.; Schönh.; Walt.* B. M.
 ... *lineellus, Gyll.; Schönh.*
 ... *ambiguus, Schönh.*
11. *S. CRINITUS*, *Oliv. E. v. 382, pl. 35, f. 550; Steph.; Schönh.* B. M.
 ... *lineella et albescens, Steph. Mand.*
 ... *macularius, Marsh.*
12. *S. WATERHOUSEI* (*Schönh. in litt.*), *Walt.* B. M.
13. *S. CAMBRICUS* (*Kirb.*), *Steph. (1831).* B. M.
 ... *cribricollis, Schönh. (1834).*
14. *S. GRISEUS*, *Fab. Mus. Banks.; Schönh.* B. M.
 ... *gressorius, Fab.; Germ.; Schönh.*
 ... *fuscus, Marsh.; Steph.*
19. *POLYDROSUS*, *Germar.*
1. *P. UNDATUS*, *Fab.; Oliv. E. v. pl. 35, f. 553; Gyll.; Germ.; Steph.; Schönh.* B. M.
 ... *fulvicornis, Steph.*
 ... *seleneus, Marsh.*
 ... *rufipes, Linn. sec. ej. Mus.*
2. *P. MICANS*, *Fab.; Gyll.; Pz. F. 19, f. 9; Germ.; Steph.; Schönh.* B. M.
 ... *Pyri, Don. iv. pl. 121, f. 4; Marsh. ?; Kirb. Mus.*
3. *P. FLAVIPES*, *DeGeer; Gyll.; Steph.; Schönh.* B. M.
4. *P. PTERYGOMALIS*, *Schönh. Supp.* B. M.
 ... *flavipes, Marsh.*
5. *P. SERICEUS*, *Schall.* B. M.
 ... *splendidus, Herbst, A. v. 82, pl. 24, f. 30.*
 ... *squamosus, Germ.*
 ... *speciosus, Steph.; Curt. E. ii. pl. 278.*
6. *P. PLANIFRONS* (*Dej. Cat.*), *Schönh.; Walt.; Mus. Brit.* B. M.
 ... *argentatus, Oliv. E. v. 416, pl. 5, f. 56, a, b.*

7. *P. CHRYSOMELA*, *Oliv. E.* v. 415, pl. 26, f. 386; *Schönh. Supp.* B. M.
 ... *sericeus*, *Steph.*
Metallites pulchellus, *var.*, *Steph. Manual.*
8. *P. CONFLUENS* (*Kirb.*), *Steph. Mand.* (1831). B. M.
 ... *amaurus*, *Marsh.?*; *Steph. Mand.*
 ... *Chrysomela*, *Schönh.*; *Steph. Manual.*
 ... *perplexus* (*Dej. Cat.*), *Schönh. Supp.* (1840).
9. *P. CERVINUS*, *Linn.?* *Herbst, C.* vi. 500, pl. 95, f. 6; B. M.
Marsh.; *Gyll.*; *Germ.*; *Steph.*; *Schönh.*
 ... *undatus*, *Linn. sec. ej. Mus.*
 ... *melanotus* (*Kirb.*), *Steph. Mand.*
20. *METALLITES*, *Schönherr.*
1. *M. MARGINATUS*, *Steph. Mand.* (1831) *et Manual.* B. M.
 ... *ambiguus*, *Schönh.* (1834).
21. *CLEONUS*, *Megerle.*
1. *C. OPHTHALMICUS*, *Rossi*; *Herbst, C.* vi. 86, pl. 65, f. 3; B. M.
Steph. Manual.
 ... *distinctus*, *Steph. Mand.* (*peregr.?*)
2. *C. NEBULOSUS*, *Linn. Mus.*; *Bonsd. C. S.* ii. 20, f. 4; B. M.
Marsh.; *Gyll.*; *Steph.*; *Schönh.*
3. *C. GLAUCUS*, *Fab.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
4. *C. SULCIROSTRIS*, *Linn. Mus.*; *Don. xv.* pl. 509, f. 1; B. M.
Marsh.; *Gyll.*; *Steph.*; *Schönh.*
5. *C. ALBIDUS*, *Fab.*; *Pz. F.* xix. f. 7; *Gyll.*; *Schönh. Supp.*; *Steph.* B. M.

22. GRONOPS, *Schönherr*.

1. G. LUNATUS, *Fab.*; *Gyll.*; *Steph. Mand.* iv. 89, pl. 20,
f. 5. B. M.
... costatus, *Gyll.*

23. ALOPHUS, *Schönherr*.

1. A. TRIGUTTATUS, *Fab.*; *Marsh.*; *Steph.*; *Schönh.* B. M.
... cordiger, *Clairv. E. H.* i. pl. 7, f. 3—4.
... Vau et trinotatus, *Marsh.*; *Steph. Mand.*
... striatirostris et rufimanus, *Marsh.*

24. LIOPHLEUS, *Germar*.

1. L. NUBILUS, *Fab.*; *Millard*, pl. 2, f. 9; *Gyll.*; *Steph.*; B. M.
Schönh.
... maurus, *Marsh.*; *Steph. Mand.*
... subclavatus, floccosus et subglobosus, *Marsh.*

25. BARYNOTUS, *Germar*.

Merionus, *Steph.*

1. B. OBSCURUS, *Fab.*; *Herbst*, C. vi. pl. 87, f. 3; *Gyll.*; B. M.
Germ.; *Steph.*; *Schönh.*
... pilosulus, *Marsh.*
... *Schönherr*, *Bhn. Schönh. Supp.*
2. B. MERENS, *Fab.*; *Herbst*; *Schönh. Supp.* B. M.
... elevatus et carinatus, *Marsh.*; *Steph.*
... *Bohemanni*, *Gyll. sec. Steph. et Germ.*

26. TROPIPHORUS, *Schönherr*.

Barynotus, *Germ.*; *Steph.*

1. T. MERCURIALIS, *Fab.*; *Gyll.*; *Newm.*; *Steph.*; *Schönh.* B. M.
... elevatus, *Herbst*, C. vi. 235, pl. 77, f. 3.
... *Æcidii*, *Marsh.*
... *Terricola*, *Newm. Ent. Mag.* v. 173.
... tomentosus, ♀, *Marsh. sec. Steph. Syst. Cat.*

27. TANYSPHYRUS, *Germar.*

1. T. LEMNÆ, *Ph.*; *Pz. F.* xvii. f. 10; *Gyll.*; *Steph.*; *Schönh.* B. M.

28. HYLOBIUS, *Germar.*

1. H. ABIETIS, *Linn. Mus.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *Pini*, *Don.* xv. pl. 529; *Marsh.*
2. H. PINASTRI, *Gyll.*; *Steph.*; *Schönh.*

29. MOLYTES, *Schönherr.*

1. M. GERMANUS, *Linn. Mus.*; *Mart. C.* pl. 22, f. 68; *Marsh.*; *Steph.*; *Schönh.* B. M.
 ... *fuscomaculatus*, *Gyll.*
2. M. CORONATUS, *Latr.*; *Schönh.*; *Steph. Manual.* B. M.
 ... *anglicanus*, *Marsh.*; *Steph. Mand.*
 ... *Germanus*, *Don.* i. pl. 34, f. 2; *Gyll.*

30. LEIOSOMUS (*Kirby*), *Steph.*

1. L. OVATULUS, *Clairev. E. H.* i. 82, pl. 6, f. 3, 4; *Steph. Manual*; *Schönh.* B. M.
 ... *punctatus*, *Marsh.*; *Steph. Mand.*

31. PLINTHUS, *Germar.*

1. P. CALIGINOSUS, *Fab.*; *Marsh.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *didymus*, *Don.* xvi. pl. 570.

32. PROCAS, *Stephens.*

Eriirhinus, *Schönherr*, *olim.*

1. P. PICIPES, *Marsh.*; *Steph.*; *Schönh.* B. M.
2. P. GRANULICOLLIS, *Walt.*

33. PHYTONOMUS, *Schönherr*.Hypera, *Germ.*; *Steph.*

1. P. PUNCTATUS, *Fab.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... austriacus, *Herbst*, *C.* vi. 243, pl. 77, f. 11; *Marsh.*
 ... medius, *Marsh.*
2. P. FASCICULATUS, *Herbst*, *C.* vi. 289, pl. 82, f. 6; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... fasciculosus, *Gyll.*; *Curt. E.* ii. pl. 116.
3. P. POLYGONI, *Linn. Mus.*; *Herbst*; *Pz. F.* xix. f. 10; *Gyll.*; *Germ.*; *Steph. Manual*; *Schönh.* B. M.
 ... arator, *Marsh.*; *Steph. Mand.*
 ... Polygoni, *Steph. Mand.*
 ... canescens, *Viciae et picicornis*, *Steph. sec. ej. Mus.*
4. P. POLLUX, *Fab.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... commaculatus, *Herbst*, *C.* vi. 230, pl. 76, f. 8.
 ... interruptus, *Marsh.*; *sec. Steph. Cat.*
 ... alternans, *Steph. Mand.* iv. 95, pl. 20, f. 6.
 ... Kunzii, *Steph. Manual.*
 ... palustris (*Leach*), *Steph.*
 ... Julinii (*Sahlb.*), *Schönh.*
 ... bitæniatus, *Kirb. Mus.*
5. P. RUMICIS, *Linn. Mus.*; *Herbst*, *C.* vi. 241, pl. 77, f. 9; *Marsh.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... Acetosæ, *Pz. F.* 42, f. 9.
 ... pyrrhodactylus, *Steph. sec. ej. Mus.*
6. P. MURINUS, *Fab.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... elongata, *Steph. sec. ej. Mus.*; *nec Ph.*
 ... nebulosa, *Steph. Mand.*
 ... Plantaginis, *Marsh.*
 ... fusco-cinereus, *Marsh.*; *sec. Mus. Steph.*
 ... dorsiger, *Kirb. Mus.*
7. P. TIGRINUS, *Dej.*; *Schönh.*; *Walt.* B. M.
 ... elongata, *Curt. in litt.*
8. P. PLANTAGINIS, *DeGeer*, *I.* v. 237, pl. 7, f. 17—21; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... villosula (*Wilk.*), *Steph.*

9. *P. NIGRIROSTRIS*, *Fab.*; *Pz. F.* 36, f. 14; *Marsh.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *rufipes*, *Steph. Mand.*
10. *P. TRILINEATUS*, *Marsh.*; *Kirb. Mus.*; *Germ.* B. M.
 ... *Trifolii*, *Steph.*; *sec. ej. Mus.*; *nec. Herbst.*
 ... *stramineus*, *Marsh.*; *Steph. Mand.*
 ... *borealis*, *Germ.*
 ... *dissimilis*, *var. major*, *Herbst, C. vi.* 290, 261.
11. *P. VARIABILIS*, *Herbst, C. vi.* 263, pl. 80, f. 1; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *sublineata* (*Kirb.*), *Steph.*
 ... *bimaculatus*, *Marsh.*; *Steph. Manual.*
 ... *postica*, *Steph. Mand.*
 ... *villosula* (*Wilk.*), *Steph.*
 ... *phæopa et picipes*, *Steph. Mand.*
 ... *stramineus et interstinctus*, *Kirb. Mus.*
12. *P. MELES*, *Fab. sec. ej. Mus.*; *Germ.*; *Schönh.* B. M.
 ... *Trifolii*, *Herbst, C. vi.* 266, pl. 80, f. 5; *Gyll.*; *Steph. sec. ej. descr.*
 ... *murina*, *Steph. Mus.*
13. *P. SUSPICIOSUS*, *Herbst, C. vi.* 265, pl. 80, f. 3; *Germ.*; *Steph. Manual*; *Schönh.* B. M.
 ... *miles*, *Pk.*; *Gyll.*; *Steph. Mand.*
 ... *pedestris*, *Pk.*; *Gyll.*; *Steph.*
 ... *bitæniatus*, *Marsh.*
14. *P. ARUNDINIS*, *Fab.*; *Herbst, C. vi.* pl. 71, f. 1; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *Sii*, *Leach, MSS.*; *Kirb. Mus.*

34. *LIMOBIUS*, *Schönherr, Mant. Curc. Holmia* (1847).

Phytonomus, *Schönh. olim.*

Hypera *Germ.*; *Steph.*

1. *L. DISSIMILIS*, *Herbst, C. vi.* 290, pl. 82, f. 7; *Gyll.*; *Germ.*; *Schönh.* B. M.
Hypera fulvipes, *Steph.*
Hypera fumipes, *Curt. Ann. Nat. Hist. v.* 280.
2. *L. MIXTUS*, *Dcj.*; *Schönh.*; *Walt.* B. M.

35. PHYLLOBIUS, *Schönherr*.

1. *P. CALCARATUS*, *Fab.*; *Clairv. E. H.* i. pl. 8, f. 3, 4;
Schönh ; *Steph. Manual.* B. M.
 ... *cæsius*, *Marsh.* ; *Steph. Mand.*
 ... *Pyri*, *Steph. Mand. et Mus.*
 ... *æruginosus et cæsius*, *Kirb. Mus.*
2. *P. ALNETI*, *Fab.*; *Herbst, C.* vi. 260, pl. 79, f. 3 ; *Steph.*
Mand. B. M.
 ... *Pyri*, *Marsh.?* ; *Gyll.* ; *Schönh. nec Linn.* ; *Steph. Manual,*
nec ej. Mus.
 ... *cnides*, *Marsh.* ; *Kirb. Mus.*
 ... *angustatus*, *Kirb. Mus.*
3. *P. VESPERTINUS*, *Fab.*; *Germ.* ; *Schönh.* B. M.
 ... *Mali*, *Fab.*; *Mart. C.* pl. 19, f. 21, 22 ; *Marsh.* ; *Gyll.* ;
Steph.
 ... *Pyri*, *Linn. sec. ej. Mus. et descr.*
 ... *amaurus*, *Marsh.* ; *var.*, *Mus. Kirb.*
4. *P. ARGENTATUS*, *Linn. Mus.* ; *Don.* iii. pl. 107 ; *Marsh.* ;
Steph. ; *Gyll.* ; *Germ.* ; *Schönh.* B. M.
 ... *arborator*, *Herbst, C.* vii. 51, pl. 98, f. 8.
5. *P. MACULICORNIS*, *Germ. Faun. Ins. Eur.* ix. pl. 12 ;
Gyll. ; *Steph.* ; *Schönh.* B. M.
6. *P. OBLONGUS*, *Linn. Mus.* ; *Mart. C.* pl. 20, f. 33 ; *Marsh.* ;
Gyll. ; *Schönh.* B. M.
 ... *rufescens*, *Marsh.*
Nemoicus oblongus, *Steph.*
7. *P. POMONÆ*, *Oliv. E.* v. 380, pl. 35, f. 548 ; *Germ.* ;
Steph. B. M.
 ... *albidus*, *Steph.*
8. *P. UNIFORMIS*, *Marsh.* ; *Kirb. Mus.* ; *Steph.* ; *Schönh.* B. M.
 ... *parvulus*, *Gyll.* ; *Steph.* ; *non Fab. sec. Germ. et Schönh.*
 ... *minutus*, *Steph.*

9. *P. VIRIDICOLLIS*, *Fab.*; *Oliv. E.* v. 83, pl. 20, f. 268;
Gyll.; *Steph.*; *Schönh.* B. M.

36. TRACHYPHLOEUS, *Germer.*

1. *T. SCABER*, *Linn. sec. ej. Mus.*; *Germ.* B. M.
 ... *tesselatus*, *Marsh.*; *Steph.*; *Schönh. Supp.*
 ... *confinis*, *Steph.*
 ... *Stroph. nigricans* (*Kirb.*), *Steph.*
 ... *scabriculus*, *Pk.*; *Bonsd. C. S.* ii. 32, n. 20, f. 21; *Gyll.*;
Schönh.; *nec Linn.*
 ... *bifoveolatus*, *Beck.*; *Germ.*
 ... *hispidulus*, *Herbst, C.* 354, pl. 87, f. 14.
2. *T. FISSIROSTRIS* (*Schönh. in litt.*) *Walt.*
3. *T. WALTONI*, *Schönh.*; *Walt.* B. M.
 ... *ventricosus*, *Steph.*
4. *T. SCABRICULUS*, *Linn.*; *Fab. Mus. Banks.*; *Germ.*; B. M.
Herbst, C. vi. 351, n. 324, pl. 87, f. 10; *Marsh.*; *Steph.*
 ... *digitalis*, *Steph.*
 ... *setarius*, ♀, *Schönh.*
 ... *scaber*, *Schönh. Supp.*
 ... *maculatus*, *var. β*, *Schönh. in litt. olim.*
5. *T. SQUAMULATUS*, *Oliv. E.* v. n. 425, pl. 31, f. 477 (1789);
Schönh. B. M.
 ... *aristatus*, *Gyll.* (1827); *Schönh.*
 ... *stipulatus*, *Germ.*
 ... *hispidulus*, *Steph. Mand.*
 ... *setosus*, *Marsh. sec. Kirb. Mus.*
6. *T. ALTERNANS*, *Schönh. Syn. Ins.* ii. 493; *Walt.* B. M.
7. *T. SPINIMANUS*, *Germ. Ins. Spec.* 405, 550; *Steph.* B. M.

37. CATHORMIOCERUS, *Schönherr.*

1. *C. SOCIUS*, *Schönh. Supp.*

38. OMIAS, *Schönherr*.

1. O. HIRSUTULUS, *Fab.*; *Pz. F.* vii. f. 7; *Marsh.*; *Gyll.*; *Schönh.* B. M.
... *Brachysomus hirsutulus*, *Steph.*
2. O. BOHEMANNI, *Schönh.*; *Walt.*
3. O. BRUNNIPES, *Oliv. E.* v. 384, pl. 35, f. 551; *Steph. Man.*; *Schönh.* B. M.
... *piceus*, *Marsh.*
Otiiorhynchus piceus, *Germ.*; *Steph. Mand.*
4. O. SULCIFRONS, *Schönh.*; *Walt.* B. M.

39. OTIORHYNCHUS, *Germar*.

1. O. LIGUSTICI, *Linn. Mus.*; *Herbst, C.* vi. pl. 86, f. 8; *Marsh.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
2. O. SULCATUS, *Fab.*; *Herbst, C.* vi. pl. 87, f. 5; *Marsh.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
3. O. PICIPES, *Fab.*; *Herbst, C.* vi. 359, 334, pl. 88, f. 5; *Gyll.*; *Germ.*; *Schönh.* B. M.
... *vastator et asper*, *Marsh.*
... *squamiger*, *Marsh.*; *Steph. Mand.*
... *septentrionis*, *Steph. Manual.*
... *notatus et singularis*, *Steph.*
... *Marquardtii et Chevrolati*, *Schönh.*
4. O. RUGIFRONS, *Gyll.*; *Steph.*; *Schönh.* B. M.
... *scaber*, *Dillwynii et rugicollis*, *Steph. Mand.*
5. O. OVATUS, *Linn. Mus.*; *Herbst, C.* vi. pl. 88, f. 2; *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
... *vorticosus* (*Chevr.*), *Schönh.*; *Steph. Manual.*
6. O. PABULINUS, *Pz. F.* 57, f. 19; *Germ.*; *Steph. Mand.* B. M.

7. *O. CAUDATUS*, *Rossi* (1792); *Schönh.* B. M.
 ... *Lima, Marsh* (1802); *Steph. Mand.* (*peregr.?*)
 ... *bisulcatus, Steph. Manual.*
8. *O. NIGER*, *Fab.*; *Clairv. E. H.* pl. 8, f. 1, 2; *Germ.*;
Steph. Manual. B. M.
 ... *ater, Herbst.*
 ... *villosopunctatus, Schönh.*, ♀.
9. *O. TENEBRICOSUS*, *Herbst, C.* vi. 333, pl. 86, f. 5; *Gyll.*;
Steph.; *Schönh.* B. M.
 ... *morio, Pk.*, ♀.
 ... *niger, Pk.*, ♂; *Marsh.*; *Schönh.*
 ... *ater, Gyll.*, ♂.
 ... *scrobiculatus, Schönh.*, ♂.
10. *O. FUSCIPES*, *Oliv. E.* v. 372, pl. 31, f. 464; *Walt.*
in Ann. Nat. Hist. xix. *Supp.* 445—453, pl. 15. B. M.
 ... *maritimus, Don.* xv. 63, pl. 533, f. 1, ♀, f. 2, ♂.
 ... *hypolaus et sacer, Kirb. Mus.*
 ... *Fagi, ♀ (Chevr.)*, *Schönh.*
11. *O. EBENINUS*, *Schönh.*; *Walt.* B. M.
12. *O. ATROAPTERUS*, *DeGeer*, v. 243, pl. 7, f. 22—24; *Gyll.*;
Schönh.; *Steph. Manual.* B. M.
 ... *ater, Steph. Mand.*
 ... *niger, Steph. Manual, sec. ej. Mus.*; *non Fab.*
13. *O. MONTICOLA* (*Dej.*), *Germ.*; *Schönh.*; *Steph. Man.* B. M.
 ... *lævigatus, Herbst, C.* vi. 347, pl. 87, f. 6; *Gyll.*; *Steph.*
Mand.
14. *O. SCABROSUS*, *Marsh.*; *Steph.*; *Schönh.* B. M.
15. *O. LIGNEUS*, *Oliv. E.* v. 378, pl. 31, f. 473; *Steph.*
Manual. B. M.
 ... *scabridus (Kirb.)*, *Steph. Mand.*; *Schönh.*
16. *O. MAURUS*, *Gyll.*; *Curt. E.* ii. pl. 690; *Steph.*;
Schönh. B. M.

17. *O. RAUCUS*, *Fab.*; *Herbst, C.* vi. 343, pl. 87, f. 2; *Gyll.*;
Marsh.; *Steph.*; *Schönh.* B. M.
 ... *tristis*, *Bonsd. C. S.* ii. 36, f. 28.
- *18. *O. SEPTENTRIONIS*, *Herbst, C.* vi. 360, pl. 88, f. 6; *Germ.*;
Schönh.; *Mus. Stev.*
 ... *setosus*, *Gyll.*
40. *LIXUS*, *Fabricius*.
1. *L. ASCANII*, *Linn.*; *Pz. F.* 42. f. 13; *Steph. Schönh.*
2. *L. PARAPLECTICUS*, *Linn. sec. ej. Mus.*; *Kirb. Mus.*; *Herbst, C.*
 vi. 42, pl. 62, f. 1; *Gyll.*; *Schönh.*; *Don. x.* pl. 348,
 f. 2. B. M.
 ... *productus* (*Marsh.*), *Steph.*; *Samou. Ent. Cab.* 26, 2.
3. *L. GEMELLATUS*, *Gyll.*; *Schönh.* B. M.
 ... *paraplecticus*, *Marsh.*; *Steph.*
4. *L. ANGUSTATUS*, *Fab.*; *Marsh.*; *Steph.*; *Curt. E.* ii. pl. 542;
Schönh. B. M.
5. *L. BICOLOR*, *Oliv. E.* v. 244, pl. 30, f. 460; *Schönh.*;
Steph. Manual. B. M.
 ... *lateralis*, *Steph. Mand.*
41. *LARINUS*, *Schüppel*; *Germar*.
1. *L. STURNUS*, *Herbst?*; *Steph. (peregr.)* B. M.
2. *L. CARLINÆ*, *Oliv. E.* v. 280, pl. 21, f. 282; *Schönh.* B. M.
 ... *ebeneus*, *Marsh.*; *Don. xv.* pl. 509, f. 2.
 ... *Rhinobatus planus*, *Steph.*
42. *RHINOCYLLUS*, *Germar*.
1. *R. LATIROSTRIS*, *Latr.*; *Schönh.*; *Steph. Manual.* B. M.
 ... *Cardui*, *Don. xv.* pl. 512.
 ... *thaumaturgus*, *Steph. Mand.*

43. PISSODES, *Germar.*

1. P. PINI, *Linn.*; *Herbst, C.* 147, pl. 70, f. 2; *Gyll.*; *Steph.*; *Schönh.* B. M.
2. P. NOTATUS, *Fab.*; *Oliv. E.* v. pl. 16, f. 42, b, c; *Gyll.*; *Steph.*; *Schönh.* B. M.
... *Fabricii (Leach)*; *Steph. Mand.* iv. 88, pl. 21, f. 1.
3. P. PICEÆ, *Illig.*; *Schönh.*; *Walt. (peregr.?)* B. M.
... *Curc. Pini, Panz.* 42, f. 1.
... *Fabricii, Leach, MSS. Brit. Mus.*

44. MAGDALINUS, *Germar.*; *Schönherr.*Magdalis, *Germar.*Thamnophilus, *Schönh. olim.*

1. M. PHLEGMATICUS, *Herbst, C.* vii. 6, pl. 96, f. 1, A; *Gyll.*; *Germ.*; *Schönh.*
2. M. CARBONARIUS, *Linn.*; *sec. ej. Mus.*; *Gyll.*, ♀; *I. S.* iii. 187; *Curt. E.* ii. pl. 212, 7, ♂, 8, ♀.
... *atratus*, ♂, *Gyll. I. S.* iii. 187.
... *atramentarius, Germ.*; *Gyll.*, ♂, ♀, *I. S.* iv. 562; *Schönh.*
3. M. ATRAMENTARIUS, *Marsh., Steph., Kirb. Mus.* B. M.
... *Cerasi, Herbst, C.* vi. 68, pl. 64, f. 2, ♂.
... *stygius, Marsh.*; *Gyll.*; *Schönh.*
... *carbonarius, Steph., sec. ej. Mus.*
... *aterrimus, Fab.*; *Germ.*; *Steph.*
... *asphaltina, ♂, Steph., sec. ej. Mus.*
4. M. CERASI, *Linn. Mus.*; *Herbst. C.* vii. pl. 64, f. 1; *Marsh.*; *Germ.*; *Gyll.*; *Schönh.* B. M.
... *Rhina*, ♀, *Gyll. I. S.* iii. 83.
... *Rhinodes Cerasi*, ♀, *Steph.*
... *Pauus barbicornis*, ♂, *Steph., sec. ej. Mus.*
5. M. PRUNI, *Linn. Mus.*; *March.*; *Gyll.*; *Germ.*; *Schönh.* B. M.
... *ruficornis, Linn. Mus.*
... *erythrocerus, Herbst, C.* vi. pl. 64, f. 6.
... *Rhinodes Pruni, Steph.*

15. ERIRHINUS, *Schönherr.*; *Stephens.*Notaris et Dorytomus, *Steph.*

* Femora mutica.

1. E. FESTUCÆ, *Herbst, C.* vi. 327, pl. 85, f. 13; *Gyll.*; *Steph.*; *Schönh.* B. M.
2. E. NEREIS, *Pk.*; *Gyll.*, ♀; *Steph.*; *Schönh.* B. M.
 ... Typhæ, *Ahr. Nov. A. H.* ii. pl. 1, f. 6.
 ... inquisitor, *Steph. Mand.*
 ... Arundineti (*Kirb.*), *Steph.*
3. E. SCIRRHOSUS, *Schönh.*; *Steph. Manual.*
 ... brunnirostris, *Oliv. E.* v. 83, pl. 34, f. 524.
 ... Nereis, *Gyll.*, ♂.
4. E. PILLUMUS, *Sturm.*; *Schönh.*; *Walt.* B. M.
 ... Bagous Beckwithii, *Kirb. Mus.*, No. 9.
 ... Chamomillæ, *Koch, in litt.*
5. E. ACRIDULUS, *Linn.*; *Pz.* 42, f. 10; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... rigidus et resinusus, *Marsh.*
6. E. ÆTHIOPS, *Fab.*; *Gyll.*; *Steph.*; *Curt. E.* ii. pl. 634; *Schönh.* B. M.
7. E. BIMACULATUS, *Fab.*; *Herbst, C.* vi. 291, pl. 82, f. 8; *Gyll.*; *Steph.*; *Schönh.* B. M.
8. E. SCIRPI, *Fab.*; *Oliv. E.* 83, pl. 29, f. 427; *Schönh.* *Walt.* B. M.

** Femora dentata. (Dorytomus, auctor.).

9. E. VORAX, *Fab.*; *Herbst, C.* vi. 165, pl. 71, f. 4, ♀; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... ventralis, *Steph. Mand.*
 ... longimanus, ♂, et tremulæ, ♀, *Marsh.*; *Kirb. Mus.*

10. E. TREMULÆ, *Pk.*; *Oliv. E.* v. pl. 34, f. 520, a—b; *Gyll.*; *Steph.*; *Schönh.*
 ... fumosus, *Rossi*, *sec. Gyll. et Schönh.*
 ... vecors, *Schönh.*, ♂; *Steph. Manual.*
11. E. COSTIROSTRIS, *Schönh.*; *Walt.* B. M.
 ... Tremulæ, *Steph.*, *sec. ej. Mus.*
 ... bituberculatus (*Zetterst.*), *Schönh.*
12. E. MACULATUS, *Marsh.*; *Kirb. Mus.* B. M.
 ... fumosus, *Steph. Mand.*
 ... Capreæ, *Chevr. in litt.*
13. E. AFFINIS, *Pk.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... flavipes, *Oliv. E.* v. pl. 34, f. 523.
14. E. TENIATUS, *Fab.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
15. E. SALICIS, *Walt.*; *Mus. Stev. et Walt.* B. M.
16. E. SALICINUS, *Gyll.*; *Schönh.*
17. E. MAJALIS, *Pk.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... flavipes, *Pz. F.* 61, f. 11.
18. E. PECTORALIS, *Pz. F.* 36, f. 16; *Gyll.*; *Steph.*; *Germ.*; *Schönh.* B. M.
 ... melanophthalmus, *Steph. Mand.*
 ... fructuum et rubellus, *Marsh.*
19. E. AGNATHUS (*Dahl.*), *Schönh.*; *Walt.* B. M.
 ... majalis, ♂, *Steph.*, *sec. ej. Mus.*
20. E. TORTRIX, *Linn. Mus.*; *Herbst, C.* pl. 18, f. 2; *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... arcuatus, *Steph. Mand.*
21. E. VALIDIROSTRIS, *Schönh.*; *Walt.* B. M.
 ... Waltoni, *Schönh. Supp.*
46. GRYPIDIUS, *Schönherr.*
1. G. EQUISETI, *Fab.*; *Pz. F.* 42, f. 4; *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.

47. ELLESCHUS, *Megerle*.

1. *E. BIPUNCTATUS*, *Linn.*; *Pz. F.* 62, f. 7; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
2. *E. SCANICUS*, *Pk.*; *Pz. F.* 99, f. 9; *Gyll.*; *Germ.*; *Schönh.*
... *Eirrhin. pallidesignatus*, *Schönh.*; *Mus. Wollast.*

48. ANTHONOMUS, *Germar*.

1. *A. POMORUM*, *Linn. Mus.*; *Marsh.*; *Gyll.*; *Germ.*; *Steph.*; *Curt. E.* ii. pl. 562; *Schönh.* B. M.
... *incurvus*, *Steph., sec. ej. Mus.*
2. *A. ULMI*, *DeGeer*, v. 215, pl. 6, f. 26—30; *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
... *fasciatus*, *Marsh.*; *Steph. Mand.*
... *pedicularius*, *Germ. Mag.* iv. 322.
... *Druparum*, *Steph., sec. ej. Mus.*
3. *A. PEDICULARIUS*, *Linn. Mus.*; *Marsh.*; *Kirb. Mus.*; *Steph. Mand.* B. M.
... *Ulmii*, *Gyll., var. c*; *Schönh., γ.*
... *Pomoneæ*, *Germ. Mag.* iv. 323.
4. *A. PUBESCENS?* *Pk.*; *Gyll.*; *Germ.*; *Schönh.*; *Walt.*
5. *A. RUBI*, *Herbst, C.* vi. 167, pl. 71, f. 8; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
... *ater et melanopterus*, *Marsh.*; *sec. Mus. Steph. et Kirb.*
... *obscurus*, *Steph., sec. ej. Mus.*
... *brunnipennis*, *Curt. Ann. Nat. Hist.* v. 280.

49. BALANINUS, *Germar*.

1. *B. TURBATUS*, *Gyll.*; *Schönh.*; *Steph. Manual.* B. M.
... *Nucum*, *Germ. olim.*
... *elephas*, *Steph. Manual.*
... *longirostris*, ♀, et *rufo-griseus*, ♂, *Kirb. Mus.*

2. *B. NUCUM*, *Linn. Mus.*, ♂, ♀; *Samou. pl.* 2, f. 20; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *gulosus*, *Germ. olim.*
 ... *glandium*, *sec. Mus. Marsh., Kirb., et Curt.*
3. *B. VENOSUS*, *Germ.*; *Schönh.* B. M.
 ... *NUCUM*, *sec. Mus. Marsh. Kirb. et Curt.*; *nec Linn.*
 ... *glandium*, *Steph.*
4. *B. VILLOSUS*, *Fab.*; *Herbst, C. vi.* 195, pl. 73, f. 8; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *tenuirostris*, *Fab.* ♂, *sec. Mus. Banks.*; *Marsh.*; *Steph. Mand.*
 ... *Cerasorum*, *Fab.*, ♀, *sec. Mus. Banks.*; *Marsh.*; *Kirb. Mus.*
5. *B. CERASORUM*, *Herbst*; *Gyll.*; *Germ.*; *Schönh.* B. M.
 ... *Betulæ*, *Steph. Mand.* iv. 70, pl. 20, f. 4.
6. *B. BRASSICÆ*, *Fab.*; *Germ.*; *Schönh.*; *Steph. Manual.* B. M.
 ... *Salicivorus*, *Herbst, C. vi.* 200, pl. 73, f. 12; *Steph. Mand.*
 ... *arcuatus*, *Marsh.*
 ... *scutellaris* (*Wilkin*), *Steph. Mand.*
 ... *Anthon. clavatus*, *Marsh.*; *Steph.*
7. *B. PYRRHOCERAS*, *Marsh.* ♂; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *curvatus*, *Marsh.*, ♂, *sec. Mus. Kirb.*; *Steph. Mand.*
 ... *intermedius*, *Marsh.*; *Steph. Mand.*; *Kirb. Mus.*, ♂.
8. *B. CRUX*, *Fab.*; *Oliv. E. v.* 154, pl. 29, f. 440; *Steph. Manual.*; *Schönh.* B. M.
50. *TYCHIUS*, *Germar.*
1. *T. 5-PUNCTATUS*, *Linn. Mus.*; *Gyll.*; *Steph.* iv. 54, pl. 20, f. 3; *Schönh.* B. M.
 ... *5-maculatus*, *Linn. Mus.*
2. *T. VENUSTUS*, *Fab.*; *Herbst, C. vi.* pl. 71, f. 2; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *vernalis et bivittatus*, *Marsh.*
 ... *nervosus*, *Marsh.*; *Steph. Mand.*

- *3. *T. HEMATOCEPHALUS*, *Schönh.* ; *Mus. Wollast.*
 ... *Dorytomus thoracicus* (*Spence*), *Kirb. Mus.*
- *4. *T. FLAVICOLLIS*, *Schönh.* ; *nec Kirb.* B. M.
5. *T. MELILOTI* (*Kirb.*), *Steph.* ; *Schönh.* B. M.
6. *T. SCHNEIDERI*, *Herbst, C. vi. 268*, pl. 80, f. 7 ; *Schönh.* B. M.
 ... *Miccot. lineatulus* (*Kirb.*), *Steph.*
 ... *lineatulus*, *Schönh. Supp.*
- *7. *T. NIGRIROSTRIS*, *Mus. Walt., et Wollast., Stev., et Daws.* B. M.
8. *T. TOMENTOSUS*, *Herbst, C. vi. 278*, pl. 81, f. 7 ; *Steph. Manual ; Schönh.* B. M.
 ... *villosus*, *Marsh ; sec. Steph. Syst. Cat.*
 ... *picirostris*, *Gyll. ; Steph. Mand.*
 ... *Stephensi*, *Schönh. ; Steph. Manual.*
9. *T. JUNCEUS*, *Reich. Mant. Ins. xv. pl. 1, f. 11 ; Schönh.*
 ... *flavicollis* (*Kirb.*), *Steph.*
 ... *canescens*, *Marsh. ?*
51. *MICCOTROGUS*, *Schönherr.*
1. *M. PICIROSTRIS*, *Fab. ; Germ. ; Steph. Manual.* B. M.
 ... *cinerascens*, *Marsh. ; Gyll. ; Steph. Mand.*
52. *SMICRONYX*, *Schönherr, Supp.*
- *1. *S. JUNGERMANNIÆ*, *Reich. Mant. xvi. pl. 1, f. 12 ; Schönh.* B. M.
- *2. *S. CICUR*, *Reich. ; Schönh. ; Germ.* B. M.
 ... *variegatus*, *Dej. ; Schönh. ; sec. Germ.*
3. *S. PYGMEUS*, *Curt. Ann. Nat. v. 280.* B. M.
53. *SIBYNES*, *Germar. ; Schönherr.*
Sibinia, Germar.
1. *S. ARENARIÆ* (*Kirb.*), *Steph. ; Schönh.* B. M.

2. *S. PRIMITUS*, *Herbst, C. vi. 104, pl. 66, f. 8; Germ.; Steph.; Schönh.* B. M.
 ... *signatus, Gyll.*
 ... *Tychius parvulus (Kirb.), Steph.*
3. *S. POTENTILLÆ*, *Koch.; Germ.; Schönh.* B. M.
 ... *villosus, Marsh., sec. Mus. Kirb.*
 ... *pyrrhodactylus, Marsh., sec. Mus. Kirb.*
 ... *Viscariaë, Steph. non Linn.*
54. *ACALYPTUS, Schönh.*
1. *A. CARPINI*, *Herbst, C. vi. 204, pl. 74, f. 3, a, b; Gyll.; Schönh.; Walt.; Mus. Stev. et Walt.* B. M.
 ... *sericeus et rufipennis, Schönh.*
55. *ANOPLUS, Schüppel.*
1. *A. PLANTARIS*, *Næz.; Gyll.; Steph.; Schönh.* B. M.
 ... *brevis, Marsh.*
 ... *nitidulus (Wilk.), Steph. Mand.*
 ... *atratus (Wilk.), Steph. Mand.*
56. *ORCHESTES, Illiger.*
1. *O. QUERCUS*, *Linn. Mus.; Gyll.; Steph.; Schönh.* B. M.
 ... *depressus, Marsh.; Steph. Mand.*
 ... *rufus, Don. xi. pl. 389, f. 3.*
 ... *semirufus, var. Steph. Manual, sec. ej. Mus.*
2. *O. SCUTELLARIS*, *Fab.; Gyll.; Steph.; Schönh.* B. M.
 ... *rufus, Don. vii. pl. 249, f. 1; Marsh.*
- *3. *O. RUFUS*, *Oliv. E. v. 101, pl. 32, f. 485; Schönh.; Mus. Brit.* B. M.
 ... *hæmaticus, Germ.*
4. *O. MELANOCEPHALUS*, *Oliv. E. v. 100, pl. 32, f. 483; Steph. Manual.* B. M.
 ... *ferrugineus, Marsh.; Steph. Mand.*
 ... *atricapillus, Marsh.; Steph. Mand.*
 ... *nigricollis, Marsh.; Steph.*
 ... *carnifex, Germ.*

5. *O. ALNI*, *Linn. Mus.*; *Don.* vii. pl. 249, f. 2; *Marsh.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
6. *O. ILICIS*, *Fab.*; *Oliv. E.* v. 101, pl. 32, f. 486; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... pilosus, *Marsh.*; *Steph. Mand.*
 ... pubescens, *Steph. Manual.*
7. *O. FAGI*, *Linn.*; *nec. ej. Mus.*; *Fab.*; *Herbst*; *Gyll.* B. M.
Germ.; *Steph. Mand.*; *Schönh.*
 ... calcar, *Fab.*; *Oliv. E.* v. 103, pl. 32, f. 488.
 ... *Fragariæ et rhododactylus*, *Marsh.*; *Steph. Cat.*
 ... rhodopus, *Marsh.*; *Steph.*
8. *O. PRATENSIS*, *Germ.*; *Schönh.* B. M.
 ... tomentosus (*Voght*), *Schonh.*; *Steph. Manual.*
 ... *Waltoni*, *Curt. E.* ii. pl. 678.
- *9. *O. IOTA*, *Fab.*; *Oliv. E.* v. 105, pl. 32, f. 491; *Gyll.*, B. M.
 iv. *App.* 598; *Germ.*; *Schönh.*
10. *O. LONICERÆ*, *Fab.*; *Herbst, C.* vi. 427, pl. 93, f. 9; B. M.
Germ.; *Gyll.*; *Steph.*; *Schönh.*
11. *O. AVELLANÆ*, *Don.* vi. pl. 205, f. 3 (1797); *Marsh.*; B. M.
Steph. Mand.
 ... signifer, *Creutz* (1799); *Gyll.*; *Schonh. Supp.*
 ... X-album (*Kirb.*), *Steph. Mand.*
 ... *Salicis*, *Germ.*; *Schönh.*; *Steph. Manual*; *nec Linn.*
12. *O. RUSCI*, *Herbst, C.* vi. 424, pl. 93, f. 16; *Germ.*; B. M.
Steph. Manual; *Schönh.*
 ... bifasciatus, *Gyll.*; *Steph. Mand.*
 ... decoratus, et affinis, *Steph. Mand.*
 ... *Tachy. decoratus*, *Steph. Manual.*
 ... confusus, *Kirb. Mus.*
57. TACHYERGES, *Schönherr.*
1. *T. SALICIS*, *Linn. Mus.*; *Fab. sec. Mus. Banks.*; *Marsh.*; B. M.
Kirb. Mus.; *Gyll.*; *Steph. Mand.*; *Schönh. Supp.*
 ... *Caprææ*, *Fab. Mus. Banks.*; *Don.* iv. pl. 125, f. 5-7;
Steph. Manual.
 ... bifasciatus, *Germ.*; *Schönh.*

2. **T. STIGMA**, *Germ.*; *Steph.*; *Schönh.* B. M.
 ... Iota, *Gyll.* iii. 248.
 ... confundatus, *Steph. Manual.*
 ... Tachy. Populi, et rufitarsis, *Steph. Mand.*
 ... Orchestes Populi, *Steph. Manual.*
3. **T. SALICETI**, *Fab.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... scutellatus (*Wilkin*), *Steph. Mand.*
58. **ORTHOCHÆTES**, *Müller.*
1. **O. SETIGER**, *Germ.*; *Steph.*; *Schönh.* B. M.
59. **TRACHODES**, *Schüppel.*
1. **T. HISPIDUS**, *Linn.*; *Germ.*; *Schönh.*; *Walt.* B. M.
 ... squamifer, *Gyll.*
 ... acanthion, *Beck. Beit. F.* xxii. pl. 6, f. 32.
60. **BARIDIUS**, *Germar.*; *Schönherr.*
Baris, Germar.
1. **B. T-ALBUM**, *Linn. Mus.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... funereus, *Herbst. C.* vi. 164, pl. 71, f. 3.
 ... Atriplices et pilistriatus (*Kirb.*), *Steph. Mand.*
 ... hypoleucus, *Marsh.*
2. **B. LATICOLLIS**, *Marsh.* (1802). B. M.
 ... nitens, *Herbst, C.* vi. 160, pl. 70, f. 13.
 ... picinus, *Germ.* (1824); *Schönh.*
 ... Artemisiæ, *Steph.*
 ... impunctatus (*Kirb.*), *Steph.*
3. **B. PICICORNIS**, *Marsh.* (1802). B. M.
 ... Abrotani, *Müll.*; *Germ.* (1824).
 ... punctatus, *Dej.*; *Schönh.* (1836).
4. **B. ANALIS**, *Oliv.*; *Curt. E.* ii. pl. 766; *Schönh.*; *Steph.*
Manual. B. M.

61. CRYPTORHYNCHUS, *Illiger*.

1. *C. LAPATHI*, *Linn. Mus.*; *Curt. Linn. Soc. Tr.* i. 86, pl. 5, f. 1—5; *Don.*; *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.

62. CÆLIODES, *Schönherr*.

1. *C. QUERCUS*, *Fab.*; *Herbst, C.* vi. 412, pl. 92, f. 7; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *pallens*, *Marsh.*
 ... *melanorhynchus*, *Marsh.*; *Steph. Mand.*
2. *C. RUBER*, *Marsh.*; *Don.* xi. pl. 389, f. 1; *Steph.*; *Schönh.* B. M.
 ... *rufirostris* (*Spence*), *Steph. Mand.*
 ... *Quercus*, *Gyll. var.* 6.
3. *C. RUBICUNDUS*, *Pk.*; *Pz. F.* 99, f. 12; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *melanocephalus*, *Marsh.*; *Steph.*
- *4. *C. SUBRUFUS*, *Herbst, C.* vi. 418, pl. 92, f. 14; *Gyll.*; *Schönh.* B. M.
5. *C. GERANII*, *Pk.*; *Curt. E.* ii. pl. 670; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *exiguus*, *Oliv.*; *Schönh.*
6. *C. DIDYMUS*, *Fab.*; *Herbst, C.* vi. 397, pl. 91, f. 6; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... *Urticæ*, *Marsh.*; *Steph. Mand.*
 ... *4-maculatus*, *Linn.*; *Fab.*; *sec. Mus. Linn. et Mus. Banks.*
 ... *gibbipennis*, *Germ.*
7. *C. GUTTULA*, *Fab.*; *Herbst, C.* vi. 393, pl. 91, f. 3; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *fuliginosus*, *Marsh.*; *Steph.*; *Schönh.*
 ... *cinereus*, *Marsh.*; *sec. Mus. Kirb.*
 ... *ruficornis*, *Steph.*
 ... *umbrinus et canaliculatus*, *Schönh.*

63. RUTIDOSOMUS, *Stephens.*

1. R. GLOBULUS, *Herbst, C. vi. 398, pl. 91, f. 7; Gyll.; Steph.; Schönh.* B. M.

64. MONONYCHUS, *Schüppel.*

1. M. PSEUDACORI, *Fab.; Curt. E. ii. pl. 292; Steph.; Schönh.* B. M.

65. ACALLES, *Schönherr.*

1. A. PTINOIDES, *Marsh.; sec. ej. Mus.; Schönh. Supp.* B. M.
... nocturnis (*Chevr.*), *Schönh.*
2. A. MISELLUS, *Schönh. Supp.* B. M.
... Ptinoides, *Gyll.; Steph.; Kirb. Mus.; non Marsh.*
3. A. ROBORIS, *Curt. E. ii. pl. 550; Steph. Manual.* B. M.
... abstersus et Navieresi (*Chevr.*), *Schönh.*

66. BAGOUS, *Germar.*

1. B. BINODULUS, *Herbst, C. vi. 247, pl. 77, f. 15; Gyll.; Steph.; Schönh.* B. M.
- *2. B. LIMOSUS, *Gyll.; Schönh.* B. M.
... subcarinatus, *Schönh.*
- *3. B. PETROSUS, *Herbst, C. vi. 366, pl. 89, f. 1; Germ.; Schönh.* B. M.
... laticollis, *Schönh.*
... chorinaeus, *Schönh.*
... tempestivus, *Kirb. MSS., No. 8, et Mus. Spence. 230.*
- *4. B. FRIT? *Herbst; Gyll.; Schönh.* B. M.
- *5. B. LUTULOSUS, *Gyll.; Schönh.* B. M.

- *6. *B. TEMPESTIVUS*, *Herbst, C.* vi. 246, pl. 77, f. 14;
Schönh. Syn. Ins. iii. 546; *Mus. Stev., Waterh., Walt.*
et Spence, No. 229, *sec. Kirb. MSS.* B. M.
 ... *cnemerythrus*, *Schönh. Supp.*; *nec Marsh.*
7. *B. LUTOSUS*, *Gyll.; Steph.; Schönh.* B. M.
 ... *tubercularis*, *Kirb. Mus. et Walt.*
8. *B. LUTULENTUS*, *Gyll.; Steph.; Schönh.* B. M.
 ... *Collignensis*, *Herbst, C.* vii. 50, pl. 98, f. 7.
 ... *binotatus*, *Steph.*
9. *B. (LYPRUS) CYLINDRUS*, *Ph.; Gyll.; Germ.; Steph.;*
Schönh.; Ahr. in Nov. Act. Hal. ii. 18, pl. 1, f. 9. B. M.
 ... *cnemerythrus*, *Marsh; sec. Mus. Kirb.,* No. 6.
67. *HYDRONOMUS*, *Schönherr.*
1. *H. ALISMATIS*, *Marsh.; Gyll.; Steph.; Schönh.* B. M.
 ... *glabrirostris*, *Herbst, C.* vi. 254, pl. 78, f. 9?
 ... *cnemerythrus*, *Marsh., β; sec. Steph. Cat.*
68. *PACHYRHINUS*, (*Kirby*), *Stephens; Curtis.*
Phytobius, *Schmidt. Schönh.*
Litodactylus, *Redten.*
1. *P. VELATUS*, *Beck. Beitr. Ins. Fn.* 20, pl. 6, f. 29; *Germ.*
Schönh. B. M.
 ... *Myriophylli*, *Steph.*
 ... *natator*, *Kirb. Mus.*
2. *P. LEUCOGASTER*, *Marsh.; Steph.; Schönh. Supp.* B. M.
 ... *Myriophylli*, *Gyll.*
 ... *gonymelas*, *Kirb. Mus.*
3. *P. COMARI*, *Herbst; Gyll.; Steph.; Curt. E.* ii. pl. 558;
Schönh. B. M.
- *4. *P. WALTONI*, *Schönh. Supp.* B. M.

5. P. 4-TUBERCULATUS, *Fab.*; *Herbst, C. vi. 409, pl. 92, f. 3*; *Gyll.*; *Schönh.* B. M.
 ... Rhin. 4-tuberculatus, *Steph.*
 ... Pachyr. 4-dentatus, *Steph.*
6. P. 4-NODOSUS, *Gyll.*; *Steph.*; *Schönh.* B. M.
7. P. 4-CORNIS, *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... Rhin. 4-cornis, *Steph.*
- *8. P. CANALICULATUS (*Kirb.*), *Schönh. Supp.* B. M.
69. RHINONCUS, *Schönherr.*
1. R. PERICARPIUS, *Fab.*; *Herbst, C. vi. 401, pl. 91, f. 12*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... Spartii (*Kirb.*), *Steph. nec Kirb. MSS.*
 ... Rumicium, *Kirb. MSS. et Mus.*
2. R. SUBFASCIATUS, *Gyll.*; *Schönh.* B. M.
 ... tibialis, *Steph.*
 ... guttalis, *Gravenh.*; *Schönh.*
3. R. CASTOR, *Fab.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... fruticulosus, *Herbst, C. vi. 400, pl. 91, f. 10.*
 ... Pericarpus, *Linn. Mus.*
 ... leucostigma, *Marsh.*; *Steph.*
 ... flavipes, interstitialis et rufipes, *Steph.*
4. R. INCONSPECTUS, *Herbst, C. vi. 405, pl. 91, f. 15*; *Gyll.* B. M.
Schönh.
 ... crassus, *Marsh.*; *Steph.*
 ... canaliculatus (*Marsh.*), *Steph.*
5. R. BRUCHOIDES, *Herbst, C. vi. 416, pl. 92, f. 18*; *Schönh.* B. M.
 ... leucogaster, *Gyll. iii. 161.*
 ... Pachyr. rufescens, *Steph.*; *Curt.*

70. CEUTHORHYNCHUS, *Schüppel.*Nedyus, *Steph.*

1. *C. ASSIMILIS*, *Pk.*; *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *Alauda*, *Herbst*, *C.* vi. 440, pl. 92, f. 5.
 ... *obstrictus*, *Marsh.*; *Steph. Mand.*
 ... *subrufus*, *Marsh.*? *Steph.*
2. *C. ERYSIMI*, *Fab.*; *Panz. F.* 17, f. 7; *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *chloropterus* (*Kirb.*), *Steph. Mand.*
3. *C. CONTRACTUS*, *Marsh.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
4. *C. COCHLEARIE*, *Gyll.*; *Steph.*; *Schönh.* B. M.
5. *C. CONSTRICTUS*, *Marsh.*; *Steph.*; *Schönh. Supp.* B. M.
6. *C. ERICÆ*, *Gyll.*; *Steph.*; *Schönh.* B. M.
- *7. *C. SETOSUS* (*Mærkel*), *Schönh. Supp.*; *Mus. Walt.*
8. *C. LITURA*, *Fab.*; *Gyll.*; *Schönh.* B. M.
 ? ... *ovalis*, *Linn.*?; *Marsh.*; *Steph.*
9. *C. TRIMACULATUS*, *Fab.*; *Oliv. E.* v. 211, pl. 23, f. 320; *Gyll.*; *Schönh.* B. M.
 ... *litura*, *Steph.*
 ... *leucomelanus*, *Kirb. Mus.*
10. *C. POLLINARIUS*, *Foster*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *dentatus*, *Marsh.*
 ... *caliginosus*, *Steph. Mand.*
- *11. *C. VIDUATUS*, *Gyll.*; *Schönh.* B. M.
- *12. *C. IMPRESSICOLLIS* (*Little, in litt.*), *Mus. Little, Woll. et Walt.*; *nec depressicollis*, *Gyll.*
13. *C. QUADRIDENS*, *Panz. Fn.* 36, f. 13. B. M.
 ... *Quercicola*, ♀, *Marsh.*; *Kirb. Mus.*
 ... *pallidactylus*, ♂, *Marsh.*; *Steph. Mand.*
 ... *Borraginis*, *Gyll.*; *Steph.*

14. *C. QUERCICOLA*, *Fab.*; *Herbst*, *C.* vi. 403, pl. 91, f. 13;
Gyll.; *Steph.*; *Schönh.* B. M.
 ... *uniguttatus*, *Marsh. sec. Mus. Steph.*
15. *C. MELANOSTICTUS*, *Marsh.*; *Kirb. Mus.*; *Schönh.* iv.
 532. B. M.
 ... *rugulosus*, *Steph.*, *nec Herbst.*
 ... *Lycopi (Chevr.)*, *Schönh.*
16. *C. CHRYSANTHEMI*, *Müller*; *Germ.*; *Gyll.*; *Steph.*;
Schönh. B. M.
 ... *rugulosus*, *var. c*, *Gyll.*; *Schönh. sec. ej. Mus.*
17. *C. MELANOSTIGMA*, *Marsh.*; *Kirb. Mus.*; *Steph.* B. M.
 ... *rugulosus*, *Herbst*, *C.* vi. 406, pl. 91, f. 16?; *Gyll.* iv. 596;
Germ. P; *Schönh.* viii. 153?
 ... *cinereus*, *Marsh.*; *Steph.*, *sec. Mus. Steph.*
 ... *subrufus*, *Marsh.*, *var.*, *sec. Mus. Kirb.*
 ... *scutellatus*, *Steph.*, *sec. Mus. Steph.*
18. *C. ASPERIFOLIARUM (Kirb.)*, *Steph.*; *Gyll.*; *Schönh.* B. M.
 ... *4-maculatus*, *Marsh.*; *Steph.*
 ... *congener*, *Schüpp.*; *Germ.*
- *19. *C. CRUX (Walt. in litt.)*, *nec Aubei*; *Mus. Heysham*,
Woll., *Daws.*, *et Walt.*
- *20. *C. CRASSIDENTATUS (Marshall, in litt.)*, *Mus. Marshall.*
- *21. *C. ULIGINOSUS (Walt.)*, *Schönh. Supp.*; *Mus. Walt.*
- *22. *C. URTICÆ (Walt.)*, *Schönh. Supp.*; *Mus. Walt.*, *et*
Heysham.
23. *C. ECHII*, *Fab.*; *Panz. F.* xvii. f. 12; *Marsh.*; *Steph.*;
Schönh. B. M.
24. *C. TROGLODYTES*, *Fab.*; *Oliv. E.* v. 214, pl. 23, f. 317;
Marsh.; *Germ.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *pusio*, *Panz. Fn.* 36, f. 15.
 ... *spiniger*, *Herbst*, *C.* vi. 410, pl. 92, f. 4.

25. *C. HORRIDUS*, *Fab.*; *Panz. F.* 84, f. 9; *Steph.*; *Schönh.* B. M.
26. *C. MARGINATUS*, *Pk.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... punctiger (*var. minor*), *Schönh.*
27. *C. RESEDE*, *Marsh.*; *Schönh.*; *Seph. Manual.* B. M.
- *28. *C. BIGUTTATUS* (*Waterh.*), *Schönh. Supp.*; *Mus. Waterh.*,
Stev., et Walt. B. M.
29. *C. SULCICOLLIS*, *Gyll.*; *Schönh.* B. M.
 ... pleurostigma, *Marsh.*
 ... *Ceuthor. sulcicollis et affinis*, *Steph.*
- *30. *C. HISPIDULUS* (*Stev. in litt.*), *Mus. Walt., et Stev.*
- *31. *C. INAFFECTATUS*, *Schönh.*; *Mus. Stev., et Walt.*
 ... *Rapæ*, *Gyll.*?
- *32. *C. CYANIPENNIS*, *Illig.*; *Gyll.*; *Germ.*; *Schönh.* B. M.
- *33. *C. CHALYBÆUS*, *Germ.*; *Schönh.* B. M.
- *34. *C. HIRTULUS*, *Schüpp.*; *Gyll.*; *Germ.*; *Schönh.* B. M.

71. *AMALUS*, *Schönherr.*; *Steph. Man.*

Ceuthorhynchus, *Schüpp.*

Nedyus, *Steph.*

Funiculo 6-articulato.

1. *A. SCORTILLUM*, *Herbst, C.* vi. 418, pl. 92, f. 13; *Gyll.*;
Germ.; *Steph.*; *Schönh.* B. M.
 ... inflexus, *Marsh.*
 ... castaneus (*Wilk.*), *Steph.*
 ... *Curc. (Balaninus) brunneus*, *Marsh.*; *Steph.*
2. *A. FLORALIS*, *Pk.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... *Typhæ*, *Herbst, C.* vi. 415, pl. 92, f. 11.
 ... sulculus (*Kirb.*), *Steph.*
 ... mouostigma (*Marsh.*), *Steph.*

- *3. A. MINIMUS (*Walt. in litt.*), *Mus. Brit.* B. M.
4. A. PYRRHORHYNCHUS, *Marsh.*; *Steph.*; *Schönh.* B. M.
 ... phæorhynchus et ruficus, *Marsh.*; *Steph.*
 ... suturalis, *Steph.*
 ... pulvinatus, *Gyll.*; *Schönh.*
 ... erythrorhynchus, *Schönh.*
- A. MELANARIUS (*Kirb.*), *Steph.*; *Schönh. Supp.* B. M.
6. A. TERMINATUS, *Herbst, C. vi.* 401, pl. 91, f. 11; *Schönh.* B. M.
 ... apicalis, *Gyll.*; *Schönh.*;
 ... Sii (*Chevr.*), *Schönh.*
 ... Waltoni, *Schönh. Supp.*
 ... rufitarsis, *Kirb. Mus.*
 ... Ceuthor. hæmorrhoidalis, *Steph. Manual.*
7. A. NIGRINUS, *Marsh.*; *Steph.* B. M.
 ... depressicollis, *Gyll.*; *Schönh.*
72. POOPHAGUS, *Schönherr.*
1. P. SISYMBRII, *Fab.*; *Herbst, C. vi.* 159, pl. 70, f. 12;
Marsh.; *Gyll.*; *Steph. Mand. iv.* 27, pl. 20, f. 2;
Schönh. B. M.
2. P. NASTURTII, *Spence*; *Germ.*; *Steph. Manual*; *Schönh.* B. M.
 ... Miarus Nasturtii, *Steph. Mand. iv.* 16, pl. 20, f. 1.
73. TAPINOLUS, *Schönherr.*
- *1. T. SELLATUS, *Fab.*; *Herbst*; *Germ.*; *Schönh.*; *Mus.*
Curt., et Wollast.
 ... *Lysimachia*, *Oliv. E. v.* 215, pl. 23, f. 328.
74. OROBITIS, *Germar.*
1. O. CYANEUS, *Linm.*; *Steph.*; *Schönh.* B. M.
 ... globosus, *Fab.*; *Panz. F.* 57, f. 10; *Herbst*; *Gyll.*;
Germ. B. M.

75. CIONUS, *Clairville*.Cleopus, *Steph*

1. C. SCROPHULARIÆ, *Linn. Mus.*; *Don*. ii. pl. 60; *Marsh.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
2. C. VERBASCI, *Fab.*; *Oliv. E.* v. 107, pl. 23, f. 312; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
3. C. THAPSUS, *Fab.*; *Herbst, C.* vi. 137, pl. 73, f. 2; *Marsh.*; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
... hortulanus, *Marsh.*; *Gyll.*; *Steph. Mand.*; *Schönh.*
4. C. BLATTARIÆ, *Fab.*; *Clairv. E. H.* i. 66, pl. 3, f. 1; *Steph.*; *Schönh.* B. M.
... bipustulatus, *Marsh.*
5. C. PULCHELLUS, *Herbst, C.* vi. 356, pl. 88, f. 1; *Germ.*; *Schönh.* B. M.
... immunis, *Marsh.*
... Solani, *Gyll.*
... Cleopus pulchellus, *Steph.*

76. GYMNETRON, *Schönherr*.

1. G. PASCUORUM, *Gyll.*; *Germ.*; *Schönh.* B. M.
... collina, *Steph. Manual.*
- *2. G. VERONICÆ, *Germ.*; *Schönh.* B. M.
... Beccabungæ, *Gyll.*, var. b.
... niger, *Germ. in litt.*
3. G. BECCABUNGÆ, *Linn.*; *Herbst, C.* pl. 74, f. 2, a—b; *Germ.*; *Gyll.*; *Steph.*; *Schönh.* B. M.
... villosulus, *Schönh.*
4. G. LABILIS, *Herbst, C.* vi. 244, pl. 77, f. 12, *Germ.*; *Schönh.* B. M.
... tricolor, *Marsh.*; *Gyll.*; *Steph.*

- *5. *G. ROSTELLUM*, *Herbst, C. vi. 108, pl. 66, f. 13; Germ.; Schönk.* B. M.
6. *G. MELANARIUS*, *Germ.; Schönk.* B. M.
... *intaminatus (Kirb.), Steph.*
7. *G. NOCTIS*, *Herbst, C. vi. 269, pl. 80, f. 9; Germ.; Schönk.* B. M.
... *Antirrhini, Marsh.; Gyll.; Steph.*
- *8. *G. COLLINUS*, *Gyll.; Schönk.* B. M.
9. *G. LINARIÆ*, *Panz. F. 26, f. 18; Gyll.; Germ.; Schönk.* B. M.
... *Miarus Linariæ, Steph.*
77. *MIARUS*, *Schönherr, olim.; Stephens.*
1. *M. GRAMINIS*, *Gyll.; Germ.; Curt. E. ii. 627; Steph.; Schönk.* B. M.
... *ellipticus, Herbst, C. vi. 171, pl. 71, f. 13.*
- *2. *M. PLANTARUM*, *Dej.; Germ.; Schönk.* B. M.
... *acephalus, Marsh., sec. Mus. Steph.*
3. *M. CAMPANULÆ*, *Linn. Mus.; Herbst, C. vi. 161, pl. 70, f. 15, ♀; Gyll.; Germ.; Steph.; Schönk.* B. M.
... *acephalus, Marsh., sec. Mus. Kirb.*
78. *MECINUS*, *Germar.*
1. *M. PYRASTER*, *Herbst, C. vi. 252, pl. 78, f. 6; Germ.; Schönk.* B. M.
... *semicylindricus, Marsh.; Gyll.; Steph.*
- *2. *M. COLLARIS*, *Germ.; Schönk.; Mus. Stev., et Walt.* B. M.
3. *M. CIRCULATUS*, *Marsh.; Steph.; Schönk.* B. M.
... *hæmorrhoidalis, Steph.*
... *fimbriatus et marginatus, Germ.*

79. NANOPHYES, *Schönherr*.Sphærula, *Meg.*; *Steph.*

1. N. LYTHRI, *Fab.*; *Clairv. E. H.* i. 68, pl. 3, f. 3, 4;
Marsh.; *Gyll.*; *Germ.*; *Steph.*; *Schönh.* B. M.
 ... Salicariæ, *Oliv.*; *Marsh.*

80. SITOPHILUS, *Schönherr*.Calandra, *Clairv.*

1. S. GRANARIUS, *Linn. Mus.*; *Clairv. E. H.* i. pl. 2, f. 1, 2;
Marsh.; *Gyll.*; *Steph.*; *Schönh.* B. M.
 ... unicolor, *Marsh.*; *Steph. Mand.*

81. PENTARTHURUM, *Wollaston*.

1. P. HUTTONI, *Wollast.*

82. COSSONUS, *Clairville*.

1. C. LINEARIS, *Fab.*; *Clairv. E. H.* i. pl. 1, f. 1, 2; *Marsh.*;
Steph.; *Schönh.* B. M.

83. MESITES, *Schönh.*Cossonus, *Steph.*; *Curt.*

1. M. TARDII (*Vigors*), *Steph.*; *Curt. E.* ii. pl. 59; *Schönh.* B. M.

84. PHLÆOPHAGUS, *Schönherr*.Rhyncolus, *Steph.*

1. P. ÆNEOPICEUS (*Kirb.*), *Schönh. Supp.* B. M.
 ... R. truncorum, *Steph.*
 ... R. piceus (*Wilk.*), *Steph.*

*2. *P. SPADIX?* *Herbst, C. vi. 256, pl. 78, f. 11; Schönh.*

85. *RHYNCOLUS, Creutzer.*

1. *R. ATER, Steph.; Linn.?* B. M.
 ... *elongatus, Gyll.?*
2. *R. CYLINDRIROSTRIS, Oliv. E. v. 427, pl. 35, f. 537;*
Schönh. B. M.
 ... *lignarius, Marsh.; Steph.*

A D D E N D A .

BRUCHUS PISI, B. SEMINARIUS,
 ANTHRIBUS ALBINUS,
 APODERUS CORYLI, C. AVELLANÆ, *var.*,
 RHYNCHITES BETULÆ, R. ÆQUATUS, R. CUPREUS, R. POPULI,
 R. BACCHUS,
 APION CRACCÆ and A. TRIFOLII,
 Have been verified by comparison with the Linnean Cabinet
 BRUCHUS GRANARIUS, B. PISI, R. CUPREUS, R. BACCHUS, and
 APION OBSCURUM,
 Are quoted on the authority of the specimens in Mr. Kirby's
 Cabinet.

Edward Newman, Printer, 9, Devonshire Street, Bishopsgate.



